



**The Clear Choice**  
Water Filtration Systems

[www.aquafilter.com](http://www.aquafilter.com)



# Catalog

Short version 1.1/2014



Aquafilter Europe



## Welcome to Aquafilter Corporation

Aquafilter Inc. is a wholly foreign-owned enterprise set up as a joint owner of the operationally independent Aquafilter Germany and Aquafilter Europe.

Aquafilter Inc. was founded in 1984 and is headquartered in Hunt Valley, Maryland. With an executive team, that has over 30 years of experience in engineering, production, sales and marketing.

We are committed to manufacture and offer our consumers cost effective water filtration product.

Aquafilter is a leader in a full range of water purification products, including residential, light commercial water treatment equipment, filter housings, filter cartridges, filter elements and filter components etc.

Aquafilter develops and manufactures over 90% water treatment related products, has three manufacturing facilities, one in Germany and two in Poland. All of our finished products and components are made according to NSF, ROHS, EU, FDA and CE standards.

The company has two operating units: water treatment products and water distribution products; like pipes and fittings.

Aquafilter entered European markets more then 20 years ago and is a leading manufacturer of residential water treatment products, components and has become a well known brand in Europe and abroad.

We supply our products to more than 50 countries including: **Europe, Asia, Middle East, Africa, Central / South America and South East Asia.** Carry at the same time large inventory stock in modern high storage warehouse with over 8000 euro pallets of finished product, for quick delivery.

There has been substantial annual growth in international and domestic sales. The company has maintained its leading position thanks to introducing new innovative technology and price competitive new product with-in water purification and filtration line.

We aim to provide you with the cleanest and healthiest water filtration for your home and business by making sure the materials we use in our products are eco-friendly, while being cost effective.

Aquafilter's unique, innovate design and features make operation more reliable, and our wide selection of product line allows you to solve virtually any water contamination problems.

We will continue to provide the best quality, innovative technology and satisfied performance to customers all over the world at competitive prices.

Aquafilter will continue to carry on the core concept of providing the development of healthy drinking water for our consumers both international and at home!

## Company History

- 1984 – business established in USA
- 1986 – business established in Poland
- 1988 – company registered in Warsaw
- 2011 – relocation of production facilities from the Far East to Poland
- 2014 – production grows into Germany

## 10 Reasons to Choose Aquafilter

- 1. HIGH QUALITY:** NSF, Certified and EU and FDA Standard Compliance, ACS Certification in Progress and WRAS Certification in Final Progress.
- 2. COMPETITIVE PRICING:** Without sacrificing quality through the use of recycled materials.
- 3. MADE IN EUROPE:** Highest quality standards, convenient location, quick reaction times, and short delivery times!
- 4. FIVE YEAR WARRANTY:** In accordance with EU standards, we offer an exceptional warranty.
- 5. 2,000,000.00 € INSURANCE POLICY:** Product liability insurance.
- 6. LOW MINIMUM ORDER QUANTITY:** Full container orders not required - our short delivery time creates a low inventory cost.
- 7. HIGH PRODUCTION CAPACITY, LARGE INVENTORY:** Quick order processing and delivery time.
- 8. STATE OF THE ART PRODUCTION EQUIPMENT:** Late model injection molding machinery & process automation.
- 9. OEM PRODUCTS AND PRIVATE LABELS WELCOME:** Customize your products to suit your needs.
- 10. TRUSTWORTHY PARTNERSHIPS:** We stay in business as long as your business makes a profit!

For more information visit [www.aquafilter.com](http://www.aquafilter.com)



part nr	size
<b>FHPLW14</b>	<b>1/4"</b>

10" filter housings with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPLWW14</b>	<b>1/4"</b>

10" filter housings with white sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPL14</b>	<b>1/4"</b>

10" filter housings with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPLN14</b>	<b>1/4"</b>

10" filter housings with blue sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>EG14CWAQ-4</b>	<b>1/4"</b>

10" filter housings with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>EG14WWAQ-4</b>	<b>1/4"</b>

10" filter housings, with white sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>EG14CWAQ-5</b>	<b>1/4"</b>

10" economy filter housings, with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>EG14WWAQ-5</b>	<b>1/4"</b>

10" economy filter housings, with white sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPR5-12</b>	<b>1/2"</b>
<b>FHPR5-34</b>	<b>3/4"</b>
<b>FHPR5-1</b>	<b>1"</b>

5" three-part filter housings, with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPRN5-12</b>	<b>1/2"</b>
<b>FHPRN5-34</b>	<b>3/4"</b>
<b>FHPRN5-1</b>	<b>1"</b>

5" three-part filter housings, with blue sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPR5-12-WB</b>	<b>1/2"</b>
<b>FHPR5-34-WB</b>	<b>3/4"</b>
<b>FHPR5-1-WB</b>	<b>1"</b>

5" three-part filter housings, with transparent sump, for cold water.  
**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, wrench, antibacterial and antimicrobial filter centralizing ring, instruction, color box.



part nr	size
<b>FHPRN5-12-WB</b>	<b>1/2"</b>
<b>FHPRN5-34-WB</b>	<b>3/4"</b>
<b>FHPRN5-1-WB</b>	<b>1"</b>

5" three-part filter housings, with blue sump, for cold water.  
**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, wrench, antibacterial and antimicrobial filter centralizing ring, instruction, color box.



part nr	size
<b>FHPR12-B1-AQ</b>	<b>1/2"</b>
<b>FHPR34-B1-AQ</b>	<b>3/4"</b>
<b>FHPR1-B1-AQ</b>	<b>1"</b>

10" filter housings, with transparent sump, for cold water.  
**Set includes:** NSF and WRAS approved filter housing, NSF approved FCPS5 filter cartridge, mounting bracket with screws, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
<b>FHPR12-B-AQ</b>	<b>1/2"</b>
<b>FHPR34-B-AQ</b>	<b>3/4"</b>
<b>FHPR1-B-AQ</b>	<b>1"</b>

10" filter housings, with transparent sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPRN12</b>	<b>1/2"</b>
<b>FHPRN34</b>	<b>3/4"</b>
<b>FHPRN1</b>	<b>1"</b>

10" filter housings, with blue sump, for cold water, tested and certified by **NSF** and **WRAS**.



part nr	size
<b>FHPR12-HP1</b>	<b>1/2"</b>
<b>FHPR34-HP1</b>	<b>3/4"</b>
<b>FHPR1-HP1</b>	<b>1"</b>

10" filter housings, 10 bar pressure rated, for cold water.  
**Set includes:** NSF and WRAS approved filter housing, NSF approved FCPS5 filter cartridge, mounting bracket with screws, antimicrobial filter centralizing ring, wrench, instruction, color box.



part nr	size
FHPR12-HP-S	1/2"
FHPR34-HP-S	3/4"
FHPR1-HP-S	1"

10" filter housings, 10 bar pressure rated, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPR12-3S	1/2"
FHPR34-3S	3/4"
FHPR1-3S	1"

10" three-part filter housings, with transparent sump, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPRN12-3S	1/2"
FHPRN34-3S	3/4"
FHPRN1-3S	1"

10" three-part filter housings, with blue sump, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPR12-3_R	1/2"
FHPR34-3_R	3/4"
FHPR1-3_R	1"

10" three-part filter housings, with transparent sump, for cold water.

**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPRN12-3_R	1/2"
FHPRN34-3_R	3/4"
FHPRN1-3_R	1"

10" three-part filter housings, with drain sump, for cold water.

**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPR12-3VS	1/2"
FHPR34-3VS	3/4"
FHPR1-3VS	1"

10" three-part filter housings, with drain valve and transparent sump, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPRN12-3VS	1/2"
FHPRN34-3VS	3/4"
FHPRN1-3VS	1"

10" three-part filter housings, with drain valve and blue sump, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPR12-3V_R	1/2"
FHPR34-3V_R	3/4"
FHPR1-3V_R	1"

10" three-part filter housings, with drain valve and transparent sump, for cold water.

**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, drain valve, wrench, antimicrobial filter centralizing ring, instruction, color box.

## High-performance Big Blue® Filter Housings



part nr	size
FHPRN12-3V_R	1/2"
FHPRN34-3V_R	3/4"
FHPRN1-3V_R	1"

10" three-part filter housings, with drain valve and blue sump, for cold water.

**Set includes:** NSF and WRAS approved filter housing, mounting bracket with screws, wrench, drain valve, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FH10B1-B-WB	1"

10" Big Blue® filter housings, for cold water, with brass inserts, tested and certified by NSF and WRAS.

**Set includes:** Big Blue® type filter housing, mounting bracket with screws, pressure gauge, nickel extension to the pressure gauge, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FH20B1-B-WB	1"

20" Big Blue® filter housings, for cold water, with brass inserts, tested and certified by NSF and WRAS.

**Set includes:** Big Blue® type filter housing, mounting bracket with screws, pressure gauge, nickel extension to the pressure gauge, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FH10B1_M	1"
FH10B54_M	1 1/4"
FH10B64_M	1 1/2"

10" Big Blue® filter housings, for cold water, tested and certified by NSF and WRAS.

**Set includes:** Big Blue® type filter housing, antimicrobial filter centralizing ring, instruction, color box.

## Other Filter Housings



part nr	size
FH20B1_L	1"
FH20B54_L	1 1/4"
FH20B64_L	1 1/2"

20" Big Blue® filter housings for cold water, tested and certified by NSF and WRAS.

**Set includes:** Big Blue® type filter housing, antibacterial and antimicrobial filter centralizing ring, instruction, color box.



**EKOPF4-SLIM1**  
Economical filter housing for cold water.



**YT-25W**  
RO membrane housing.



part nr	size
FHPR5-12-AB	1/2"
FHPR5-34-AB	3/4"
FHPR5-1-AB	1"

5" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with light green transparent sump.



part nr	size
FHPRG5-12-AB	1/2"
FHPRG5-34-AB	3/4"
FHPRG5-1-AB	1"

5" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with green sump.



part nr	size
FHPR5-12-WB-AB	1/2"
FHPR5-34-WB-AB	3/4"
FHPR5-1-WB-AB	1"

5" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with light green transparent sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, antibacterial and antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPRG5-12-WB-AB	1/2"
FHPRG5-34-WB-AB	3/4"
FHPRG5-1-WB-AB	1"

5" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with green sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, antibacterial and antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPR12-B-AQ-AB	1/2"
FHPR34-B-AQ-AB	3/4"
FHPR1-B-AQ-AB	1"

10" bacteria and UV protection filter housings with **BACINIX™** Nanosilver Technology with two o-rings for cold water, with light green transparent sump.



part nr	size
FHPRG12-B-AQ-AB	1/2"
FHPRG34-B-AQ-AB	3/4"
FHPRG1-B-AQ-AB	1"

10" bacteria and UV protection filter housings with **BACINIX™** Nanosilver Technology with two o-rings for cold water, with green sump.



part nr	size
FHPR12-B1-AQ-AB	1/2"
FHPR34-B1-AQ-AB	3/4"
FHPR1-B1-AQ-AB	1"

10" bacteria and UV protection filter housings with **BACINIX™** Nanosilver Technology with two o-rings for cold water, with light green transparent sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, FCPS5-AB bacteriostatic sediment cartridge, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPRG12-B1-AQ-AB	1/2"
FHPRG34-B1-AQ-AB	3/4"
FHPRG1-B1-AQ-AB	1"

10" bacteria and UV protection filter housings with **BACINIX™** Nanosilver Technology with two o-rings for cold water, with green sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, FCPS5-AB bacteriostatic sediment cartridge, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPR12-3S-AB	1/2"
FHPR34-3S-AB	3/4"
FHPR1-3S-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with light green transparent sump.



part nr	size
FHPRG12-3S-AB	1/2"
FHPRG34-3S-AB	3/4"
FHPRG1-3S-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with green sump.



part nr	size
FHPR12-3_R-AB	1/2"
FHPR34-3_R-AB	3/4"
FHPR1-3_R-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with light green transparent sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPRG12-3_R-AB	1/2"
FHPRG34-3_R-AB	3/4"
FHPRG1-3_R-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology for cold water, with green sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPR12-3VS-AB	1/2"
FHPR34-3VS-AB	3/4"
FHPR1-3VS-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology and drain valve for cold water, with light green transparent sump.



part nr	size
FHPRG12-3VS-AB	1/2"
FHPRG34-3VS-AB	3/4"
FHPRG1-3VS-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology and drain valve for cold water, with green sump.



part nr	size
FHPR12-3V_R-AB	1/2"
FHPR34-3V_R-AB	3/4"
FHPR1-3V_R-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology, drain valve for cold water and light green transparent sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, drain valve, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHPRG12-3V_R-AB	1/2"
FHPRG34-3V_R-AB	3/4"
FHPRG1-3V_R-AB	1"

10" bacteria and UV protection three-part filter housings with **BACINIX™** Nanosilver Technology, drain valve for cold water and green sump.

**Set includes:** filter housing, mounting bracket with screws, wrench, drain valve, antimicrobial filter centralizing ring, instruction, color box.



part nr	size
FHHOT12-HPR-S	1/2"
FHHOT34-HPR-S	3/4"
FHHOT1-HPR-S	1"

10" in-line filter housings with red sump for hot water.



part nr	size
FHHOT12-HPC-S	1/2"
FHHOT34-HPC-S	3/4"
FHHOT1-HPC-S	1"

10" in-line filter housings with transparent sump for hot water.



part nr	size
FHMB12	1/2"
FHMB34	3/4"
FHMB1	1"

Multi-use sediment filters, made of brass, for hot and cold water.

Set includes: filter cartridge, pressure gauge and drain valve, instruction.



part nr	size
FHMC12FF	1/2"
FHMC34FF	3/4"

Multi-use sediment filters, made of brass, for both hot and cold water.

Set includes: filter cartridge.

## New arrival 2015



part nr	size
FHPR12-3BS	1/2"
FHPR34-3BS	3/4"
FHPR1-3BS	1"

10" three-part filter housings, with transparent sump, for cold water, tested and certified by NSF and WRAS.



part nr	size
FHPR12-3B_R	1/2"
FHPR34-3B_R	3/4"
FHPR1-3B_R	1"

10" three-part filter housings, with transparent sump, for cold water, tested and certified by NSF and WRAS.

Set includes: NSF and WRAS approved filter housing, mounting bracket with screws, wrench, antibacterial and antimicrobial filter centralizing ring, instruction, color box.

## Sediment Cartridges



### FCPS

Melt-blown polypropylene filter cartridges, ideal true depth filters for cold water. Tested and certified by NSF.

Available size: 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 30" x 2 1/2", 40" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

Available micron: 1, 5, 20, 50



### FCPS-G

Grooved melt-blown polypropylene filter cartridges, manufactured from 100% virgin polypropylene with no added binders.

Available size: 9 7/8" x 2 1/2", 20" x 2 1/2"

Available micron: 1, 5, 20, 50



### FCPP

PP yarn sediment filter cartridges, made of FDA-approved polypropylene string wound on a polypropylene core.

Available size: 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

Available micron: 1, 5, 10, 20, 50, 100



### FCHOT1

Sediment filter cartridges for hot water, made of high quality polypropylene wound on a polypropylene core.

Available size: 9 7/8" x 2 1/2"

Available micron: 5



### FCHOT2

Sediment filter cartridges for hot water, made of high quality polypropylene, using melt-blown technique.

Available size: 9 7/8" x 2 1/2"

Available micron: 5



### FCCEL

Multi-use sediment filter cartridges, manufactured from durable polyester non-woven fabric, plated around polypropylene core.

Available size: 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

Available micron: 5, 10, 20



### FCPNN20M FCPNN50M FCPNN100M FCPNN150M

Multi-use sediment 10" type filter cartridges, made of polypropylene and nylon mesh.

Available size: 9 7/8" x 2 1/2"

Available micron: 20, 50, 100, 150



### FCPHH20M FCPHH50M FCPHH100M FCPHH150M

Multi-use sediment 10" type filter cartridges for hot water, made of polypropylene and nylon mesh.

Available size: 9 7/8" x 2 1/2"

Available micron: 20, 50, 100, 150



**FCCER**

Multi-use ceramic and silicate water filters developed specifically for under-counter filtration systems.

**Available size:** 9 7/8" x 2 1/2"  
**Available micron:** 0.3



**FCCERB**

Ceramic, silicate and activated carbon water filters developed specifically for under-counter filtration systems.

**Available size:** 9 7/8" x 2 1/2"  
**Available micron:** 0.3



**FCPS-AB**

Melt-blown antimicrobial/antibacterial polypropylene filter cartridges, treated with **BACINIX™** Nanosilver Technology.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"  
**Available micron:** 5, 20



**FCPS-AB-G**

Grooved melt-blown antimicrobial/antibacterial polypropylene filter cartridges, treated with **BACINIX™** Nanosilver Technology.

**Available size:** 9 7/8" x 2 1/2", 20" x 2 1/2"  
**Available micron:** 5, 20



**FCPP-AB**

Antimicrobial/antibacterial polypropylene string wound cartridges, with **BACINIX™** Nanosilver Technology.

**Available size:** 9 7/8" x 2 1/2", 9 7/8" x 4 1/2", 20" x 2 1/2", 20" x 4 1/2"  
**Available micron:** 5, 20



**FCPP20-PS5-AB  
FCPP20M10B-PS5-AB**

Double-layered sediment filter cartridges with melt-blown FDA-approved polypropylene string spun and **BACINIX™** Nanosilver Technology.

**Available size:** 9 7/8" x 2 1/2", 9 7/8" x 4 1/2"  
**Available micron:** 20



**FCPNN100M-AB  
FCPNN150M-AB**

Double-layered sediment filter cartridges with melt-blown PP spun and **BACINIX™** Nanosilver Technology.

**Available micron:** 100 and 150 (outside layer) and 5 (inside layer).



**FCPS5-NN-AB**

Replacement insert cartridge layer for FCPNN100M-AB and FCPNN150M-AB

**Available micron:** 5

Carbon Cartridges



**FCCA**

GAC filter cartridges filled with polypropylene fabric and NSF-approved coconut shell carbon.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"  
**Available micron:** 10 (FCCA-STO)



**FCCB**

Cartridges containing a mixture of bitumious activated carbon and NSF-approved coconut shell carbon and .

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 20" x 4 1/2"



**FCCBHD**

Filter cartridges filled with NSF-approved coconut shell activated carbon.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

**Available micron:** 10 (FCCBHD-STO)



**FCCBKDF**

Filter cartridges filled with NSF-approved coconut shell activated carbon and KDF® media.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

**Available micron:** 10 (FCCBKDF-STO)

Bacteriostatic Carbon Cartridges



**FCCBKDF2**

Filter cartridges filled with FDA-approved water softening media, and NSF-approved activated coconut shell carbon and KDF® media.

**Available size:** 9 7/8" x 2 1/2", 9 7/8" x 4 1/2"



**FCCBL**

New economical carbon block cartridges.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"



**FCCBL-S**

New "SILVER SERIES" cartridges with NSF-approved carbon (50% coconut shell activated carbon, and 50% bitumious activated carbon) and zeolite.

**Available size:** 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"



**FCPS5-BL-AB**

Hybrid filter cartridges with NSF-approved carbon and antimicrobial PP spun layer.

**Available size:** 9 7/8" x 2 1/2"

**Available micron:** 5



**FCCPS-ACF**

Hybrid filter cartridges with PP spun core and activated carbon fiber wound.

Available size: 9 7/8" x 2 1/2"

Available micron: 5



**FCCBL-G-AB**

New antimicrobial cartridges with NSF-approved coconut shell activated carbon, zeolite, and BACINIX™ Nanosilver Technology.

Available size: 9 7/8 x 2 1/2"



**FCCST2**

Water softening and iron removing filter cartridges, with FDA-approved ion-exchange resin.

Available size: 9 7/8" x 2 1/2"



**FCCST**

Water softening filter cartridges, with FDA-approved ion-exchange resin.

Available size: 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

Available micron: 10 (FCCST-STO)

Clear Casings 5" and 10"



**FCCFE**

Filter cartridges, reducing iron and manganese concentration in water, with NSF-approved Birm and Corosex.

Available size: 4 7/8" x 2 1/2", 9 7/8" x 2 1/2", 20" x 2 1/2", 9 7/8" x 4 1/2", 20" x 4 1/2"

Available micron: 10 (FCCFE-STO)



**FCPRA-C**

Filter cartridges filled with polyphosphate and NSF-approved activated coconut shell carbon.

Available size: 9 7/8" x 2 1/2"



**FCPRA**

Filter cartridges filled with polyphosphate, anti-scale and anti-lime media.

Available size: 4 7/8" x 2 1/2", 9 7/8" x 2 1/2"



**FCB5  
FCB10**

Reusable empty clear filter cartridges, refillable with any filtering media.

Available size: 4 7/8" x 2 1/2", 9 7/8" x 2 1/2"

In-line Sediment Cartridges



part nr	in/out	size	µm
AIPRO	1/4" NPT	2" x 10"	5

In-line filter cartridges for sediment removal equipped with 2 x 1/4" NPT connection.



part nr	in/out	size	µm
AIPRO-QC	1/4" QC	2" x 10"	5

In-line filter cartridges for sediment removal equipped with 2 x 1/4" QC connection.



part nr	in/out	size	µm
AIPRO5-AQ	1/4" NPT	2" x 6"	5

In-line filter cartridges for sediment removal equipped with 2 x 1/4" NPT connection.



part nr	in/out	size	µm
AIPRO-1M-AQ	1/4" NPT	2,5" x 12"	5
AIPRO-20M-AQ	1/4" NPT	2,5" x 12"	20

In-line filter cartridges for sediment removal equipped with 2 x 1/4" NPT connection.



part nr	in/out	size	µm
AIPRO-20M-QM	1/4" QM	2,5" x 12"	20

In-line melt-blown filter cartridges for sediment removal, equipped with 2 x 1/4" Quick Male connection.



part nr	in/out	size	µm
AIPRO-20M-2QM	1/4" QM	2" x 11"	20

In-line melt-blown filter cartridges for sediment removal, equipped with 2 x 1/4" Quick Male connection.



part nr	in/out	size
AIPRO-CL	1/4" NPT	2" x 10,8"

In-line melt-blown filter cartridges for sediment removal, equipped with 2 x 1/4" NPT connection, in clear housing.



part nr	in/out	size
AIPRO-1M-CL	1/4" NPT	2,5" x 12"

In-line melt-blown filter cartridges for sediment removal, equipped with 2 x 1/4" NPT connection, in clear housing.

## In-line Bacteriostatic Sediment Cartridges

## In-line Carbon Cartridges



part nr	in/out	size	µm
---------	--------	------	----

**AIPRO-CL-AB** 1/4" NPT 2" x 10,8" 5  
In-line sediment removal filter cartridges, containing antimicrobial agent, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size	µm
---------	--------	------	----

**AIPRO-1M-CL-AB** 1/4" NPT 2,5" x 12" 5  
In-line sediment removal filter cartridges, containing antimicrobial agent, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size
---------	--------	------

**AICRO** 1/4" NPT 2" x 10"  
In-line filter cartridges with NSF-approved, coconut shell, activated carbon, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size
---------	--------	------

**AICRO-QC** 1/4" QC 2" x 10"  
In-line filter cartridges with NSF-approved, coconut shell, activated carbon, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
---------	--------	------

**AICRO5** 1/4" NPT 2" x 6"  
In-line filter cartridges with NSF-approved, coconut shell, activated carbon, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size
---------	--------	------

**AICRO-L-AQ** 1/4" NPT 2,5" x 12"  
In-line filter cartridges with NSF-approved, coconut shell, activated carbon, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size
---------	--------	------

**AICRO-3-QM** 1/4" QM 2,5" x 12"  
In-line filter cartridges with NSF-approved, coconut shell, activated carbon, equipped with 2 x 1/4" Quick Male connection.

part nr	in/out	size
---------	--------	------

**AICRO-3-2QM** 1/4" QM 2" x 11"  
In-line filter cartridges with NSF-approved, activated, coconut shell, carbon, equipped with 2 x 1/4" Quick Male connection.



part nr	in/out	size
---------	--------	------

**AICRO-L4** 1/4" NPT 2,5" x 12"  
In-line filter cartridges with NSF-approved, activated coconut shell carbon and KDF<sup>®</sup> media, equipped with 2 x 1/4" NPT connection.

part nr	in/out	size
---------	--------	------

**AICRO-4-QM** 1/4" QM 2,5" x 12"  
In-line filter cartridges with NSF-approved, activated, coconut shell carbon and KDF<sup>®</sup> media, equipped with 2 x 1/4" Quick Male connection.

part nr	in/out	size
---------	--------	------

**AICRO-4-2QM** 1/4" QM 2" x 11"  
In-line filter cartridges with NSF-approved, activated, coconut shell carbon and KDF<sup>®</sup> media, equipped with 2 x 1/4" Quick Male connection.

part nr	in/out	size
---------	--------	------

**AICRO-AB** 1/4" NPT 2" x 10,8"  
In-line filter cartridges with NSF-approved, activated carbon, containing nanosilver-based antimicrobial agent, equipped with 2 x 1/4" NPT connection in clear housing.



part nr	in/out	size
---------	--------	------

**FCCBL-S-CL** 1/4" NPT 2,5" x 12"  
Carbon block cartridges 2 in 1 extruded activated carbon containing additional filtration media in clear housings.

part nr	in/out	size
---------	--------	------

**FCCBL-G-CL-AB** 1/4" NPT 2,5" x 12"  
In-line carbon blocks with NSF-approved, activated carbon, containing nanosilver-based antimicrobial agent, equipped with 2 x 1/4" NPT connection in clear housing.

part nr	in/out	size
---------	--------	------

**FCCBKDF3-QM-AQM** 1/4" QM 2,5" x 12"  
In-line filter cartridges for the SIDE-by-SIDE type refrigerators with FDA-approved ion exchange resin, NSF-approved coconut shell carbon and KDF<sup>®</sup> media, equipped with 2 x 1/4" Quick Male connection.

part nr	in/out	size
---------	--------	------

**AIPRO-3-L** 1/4" NPT 2,5" x 12"  
In-line water softening and iron removal filter cartridges with NSF-approved Birm and Corosex, and FDA-approved ion exchange resin, equipped with 2 x 1/4" NPT connection.

## In-line Speciality Cartridges



part nr	in/out	size
<b>AISTRO</b>	<b>1/4" NPT</b>	<b>2" x 10"</b>

In-line water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AISTRO-QC</b>	<b>1/4" QC</b>	<b>2" x 10"</b>

In-line water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AISTRO-L-AQ</b>	<b>1/4" NPT</b>	<b>2,5" x 12"</b>

In-line water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AISTRO-L-CL</b>	<b>1/4" NPT</b>	<b>2,5" x 12"</b>

In-line water softening cartridges, equipped with 2 x 1/4" NPT connection, in clear housing.



part nr	in/out	size
<b>AISTRO-2</b>	<b>1/4" NPT</b>	<b>2" x 10"</b>

In-line iron removing and water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AISTRO-2-QC</b>	<b>1/4" QC</b>	<b>2" x 10"</b>

In-line iron removing and water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AISTRO-2-QM</b>	<b>1/4" QM</b>	<b>2,5" x 12"</b>

In-line iron removing and water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" Quick Male connection.



Part nr	in/out	size
<b>AISTRO-2-2QM</b>	<b>1/4" QM</b>	<b>2" x 11"</b>

In-line iron removing and water softening filter cartridges with **FDA**-approved ion exchange resin, equipped with 2 x 1/4" Quick Male connection.

## DI Cartridges



part nr	in/out	size
<b>AISTRO-DI</b>	<b>1/4" NPT</b>	<b>2" x 10"</b>

In-line deionization filter cartridges, with cationic and anionic ion exchange resins, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AISTRO-DI-QC</b>	<b>1/4" QC</b>	<b>2" x 10"</b>

In-line deionization filter cartridges, with cationic and anionic ion exchange resins, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AISTRO-DI-L</b>	<b>1/4" NPT</b>	<b>2,5" x 12"</b>

In-line deionization filter cartridges, with cationic and anionic ion exchange resins, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AISTRO-DI-QM</b>	<b>1/4" QM</b>	<b>2,5" x 12"</b>

In-line deionization filter cartridges, with cationic and anionic ion exchange resins, equipped with 2 x 1/4" Quick Male connection.

## In-line Carbon and Other Media Cartridges



part nr	in/out	size
<b>AISTRO-DI-2QM</b>	<b>1/4" QM</b>	<b>2" x 11"</b>

In-line deionization filter cartridges, with cationic and anionic ion exchange resins, equipped with 2 x 1/4" Quick Male connection.



part nr	in/out	size
<b>AICRO-SOF</b>	<b>1/4" NPT</b>	<b>2" x 10"</b>

In-line scale elimination filter cartridges, with polyphosphate and **NSF**-approved, coconut shell activated carbon, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AICRO-SOF-QC</b>	<b>1/4" QC</b>	<b>2" x 10"</b>

In-line scale elimination filter cartridges, with polyphosphate and **NSF**-approved, coconut shell activated carbon, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AICRO-SOF-2QM</b>	<b>1/4" QM</b>	<b>2" x 11"</b>

In-line scale elimination filter cartridges, with polyphosphate and **NSF**-approved, coconut shell activated carbon, equipped with 2 x 1/4" Quick Male connection.

## In-line Mineralizers



part nr	in/out	size
<b>AIMIR-M</b>	1/4" NPT	2" x 10,8"

In-line post mineralization and pH adjustment filter cartridges, with ceramic media, equipped with 2 x 1/4" NPT connection, in clear housing.



part nr	in/out	size
<b>AIMRO</b>	1/4" NPT	2" x 10"

In-line water mineralizing filter cartridges, containing NSF-approved Calcite™ and Corosex™ media, equipped with 2 x 1/4" connection.



part nr	in/out	size
<b>AIMRO-QC</b>	1/4" QC	2" x 10"

In-line water mineralizing filter cartridges, containing NSF-approved Calcite™ and Corosex™ media, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AIMIR-200</b>	1/4" NPT	2" x 10"

In-line water alkalizing filter cartridges, containing ORP lowering media (down to -100 mV), equipped with 2 x 1/4" NPT connection.

## In-line Empty Cartridges



part nr	in/out	size
<b>AIMIR-100</b>	1/4" NPT	2" x 10"

In-line water alkalizing filter cartridges, containing ORP lowering media (down to -200 mV), equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AIMIR2000</b>	1/4" NPT	2" x 10,8"

In-line filter cartridges, with negative ion ceramic media (2000 ni/cc), equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AICRO-E-THR</b>	1/4" NPT	2" x 10"

Reusable white empty cartridges, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AICRO-E-212THR</b>	1/4" NPT	2,5" x 12"

Reusable white empty cartridges, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AICRO-E-THR-QC</b>	1/4" QC	2" x 10"

Reusable white empty cartridges, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AICRO-E-212THR-QC</b>	1/4" QC	2,5" x 12"

Reusable white empty cartridges, equipped with 2 x 1/4" QC connection.



part nr	in/out	size
<b>AICRO-E-2CL-THR</b>	1/4" NPT	2" x 10"

Reusable clear empty cartridges, equipped with 2 x 1/4" NPT connection.



part nr	in/out	size
<b>AICRO-E-212CL-THR</b>	1/4" NPT	2,5" x 12"

Reusable clear empty cartridges, equipped with 2 x 1/4" NPT connection.

## Candle-type Cartridges



part nr	size	µm
<b>FCPS5-CN*</b>	1,96" x 9,84"	5
<b>FCPS20-CN*</b>	1,96" x 9,84"	20
<b>FCPS5-CT**</b>	1,96" x 9,84"	5
<b>FCPS20-CT**</b>	1,96" x 9,84"	20

Melt-blown polypropylene candle-type cartridges without thread.

\* without thread, set includes box  
\*\* with thread



part nr	size
<b>FCCBL-CN*</b>	1,96" x 9,84"
<b>FCCBL-CT**</b>	1,96" x 9,84"

Candle-type carbon block made of high quality activated carbon.

\* without thread, set includes box  
\*\* with thread



part nr	size	µm
<b>FCPSKDF-CN*</b>	1,96" x 9,84"	5
<b>FCPSKDF-CT**</b>	1,96" x 9,84"	5

Candle-type cartridges combining action of three different layers (non-woven polypropylene, KDF, water-washed activated carbon).

\* without thread, set includes box  
\*\* with thread



part nr	size	µm
<b>FCCER-CN*</b>	1,96" x 9,84"	0,3
<b>FCCER-CT**</b>	1,96" x 9,84"	0,3

Washable and reusable candle-type cartridges made of 100% ceramal.

\* without thread, set includes box  
\*\* with thread



part nr	size	µm
<b>TLCHF</b>	<b>2" x 8,2"</b>	<b>0,02</b>

Candle-type UF membrane for EKOPF4-PLUS filtration system.

Available micron: 0,02



part nr	GPD
<b>TFC-50F</b>	<b>50</b>
<b>TFC-75F</b>	<b>75</b>
<b>TFC-100F</b>	<b>100</b>
<b>TFC-125F</b>	<b>125</b>

Original Aquafilter® RO membranes, made of genuine Filmtec™ film.



part nr	GPD
<b>TFC-50FT</b>	<b>50</b>
<b>TFC-75FT</b>	<b>75</b>
<b>TFC-100FT</b>	<b>100</b>

RO membranes made of genuine Filmtec™ film.



**FUV-P4W**

FUV-P4W is a UV lamps, eliminate waterborne microorganisms.

**Features:** 280 x 48 mm size, 220 - 240/50 - 60 V/Hz power supply, approximately 12 months of filament vitality, 99,9% effectiveness in water disinfection

**UF Membranes**



part nr	in/out	size	µm
<b>TLCHF-2T</b>	<b>1/4" NPT</b>	<b>10,8" x 2"</b>	<b>0,02</b>

Ultra filtration membranes, remove most bacteria and some viruses.

Available size: 0,02 µm



part nr	in/out	size	µm
<b>TLCHF-FP</b>	<b>1/4" NPT</b>	<b>12" x 2 1/2"</b>	<b>0,02</b>

Ultra filtration membranes, remove most bacteria and some viruses.

Available size: 0,02 µm

**UDF Slim Type Cartridges**



part nr	size	µm
<b>FCPS5-SL</b>	<b>9 7/8" x 2"</b>	<b>5</b>
<b>FCPS20-SL</b>	<b>9 7/8" x 2"</b>	<b>20</b>

Melt-blown polypropylene sediment filter cartridges for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCPS-AB-SL</b>	<b>9 7/8" x 2"</b>

Antibacterial sediment filter cartridges based on **BACINIX™** Nanosilver Technology for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCBHD-SL</b>	<b>9 7/8" x 2"</b>

Filter cartridges, equipped with coconut shell activated carbon, for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCCBL-S-SL</b>	<b>9 7/8" x 2"</b>

Pre-filter filter cartridge, containing extruded activated carbon and other treatment media, for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCCFE-SL</b>	<b>9 7/8" x 2"</b>

High quality media iron reduction filter cartridge for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCCST2-SL</b>	<b>9 7/8" x 2"</b>

2 in 1 filter cartridge, equipped with ion exchange resin, for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCCST-SL</b>	<b>9 7/8" x 2"</b>

Filter cartridge, equipped with ion exchange resin, for EKOPF4-SLIM1 filter housing.



part nr	size
<b>FCCCKDF-SL</b>	<b>9 7/8" x 2"</b>

Filter cartridge, equipped with coconut shell activated carbon and **KDF™** media, for EKOPF4-SLIM1 filter housing.

## Filtration Systems - Microfiltration



**FP3-2**  
Three stage basic water filtration systems, made of NSF certified components.  
**Package contains:** cartridges FCPS5, FCCB20, FCCBL, wrench, FXFCH5 long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction.



**FP3-K1**  
Three stage water filtration systems, made of NSF certified components.  
**Package contains:** cartridges FCPS5, FCCST2, FCCBKDF, wrench, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**EXCITO-ST**  
Four stage basic water filtration systems, made of NSF certified components.  
**Package contains:** cartridges AIPRO-20MS, AISTRO-L, AICRO-L4, AIPRO-1MS, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**EXCITO-CL**  
**Alkaline** Five stage "See True" water filtration systems, uses Nanosilver Technology with transparent filtration cartridges, made of NSF certified components.  
**Package contains:** cartridges AIPRO-1M-CL, AISTRO-L-CL, FCCBL-S-CL, AIFIR-100, AICRO-AB, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**FHCTF2**  
Twin two stage countertop water filter.  
**Package contains:** FCPS20 cartridge, FCCBL carbon block, faucet, water connector to faucet, tubing, instruction, color box.



**FHCTF**  
Two stage countertop water filter.  
**Package contains:** FCCA-STO cartridge, FCCBL carbon block, faucet, water connector to faucet, tubing, instruction, color box.



**FH2000\_K**  
Modern faucet filter. It is equipped with FC2001\_S cartridge containing coconut shell activated carbon.



**FC\_2001\_S**  
Filter cartridge for FH2000\_K faucet filter, filled with activated coconut shell carbon.

## Filtration Systems - Ultrafiltration



**FP3-HJ-K1**  
Four stage water filtration systems with UF membrane, made of NSF certified components.  
**Package contains:** cartridges FCPS5, FCCST2, FCCBKDF, TLCHF-2T, wrench, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**EKOPF4-SLIM-UF**  
Four stage ultrafiltration systems based on UDF-SLIM cartridge type, made of NSF certified components.  
**Package contains:** cartridges FCPS20-SL, FCCST2-SL, FCCBL-S-SL, TLCHF-SL, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**EXCITO-B**  
Five stage ultrafiltration systems based on Quick Male connector cartridge type.  
**Package contains:** cartridges AIPRO-20M-QM, AISTRO-2-QM, AICRO-3-QM, AICRO-4-QM, TLCHF-2T, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", four color coded tubing, instruction, color box.



**EXCITO-4**  
Four stage ultrafiltration systems based on "TWIST" cartridge type made of NSF certified components.  
**Package contains:** cartridges AIPRO-1M-TW, AISTRO-L-TW, FCCBL-S-TW, TLCHF-TW, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.

## UV Systems



**EXCITO-WAVE**  
Four stage ultrafiltration systems based on "TWIST" cartridge type, made of NSF certified components.  
**Package contains:** cartridges AIPRO-1M-TW, AISTRO-L-TW, FCCBL-S-TW, TLCHF-TW, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.



**EKOPF4-SLIM-UV**  
Five stage UV systems based on UV final stage, made of NSF certified components.  
**Package contains:** cartridges FCPS20-SL, FCCST2-SL, FCCBL-SL, FCCM-SL, FUV-P4W UV lamp, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", tubing, instruction, color box.

## Reverse Osmosis Systems



**RX-AFRO-3AQ**  
Three stage reverse osmosis systems for aquarium.  
**Package contains:** cartridges AICRO, AIPRO, TFC-75F, automatic shut-off valve, mini flow restrictor, FT06 feed water connector 1/2", drain saddle valve, wrench, tubing, instruction, color box.



**RX44111XXX**  
Four stage reverse osmosis systems made of NSF certified components.  
**Package contains:** cartridges FCPS20, FCCBL, AICRO, TFC-75F, 4 gallons plastic water tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.



**RX54111XXX**

Five stage reverse osmosis systems made of NSF certified components.

**Package contains:** cartridges FCPS20, FCCBL, FCPS5, AICRO, TFC-75F, 4 gallons plastic water tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.



**RX541141XX**

Six stage reverse osmosis systems with mineralizing cartridge, made of NSF certified components.

**Package contains:** cartridges FCPS20, FCCBL, FCPS5, AICRO, AMIRO, TFC-75F, 4 gallons plastic water tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH16-C double long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.



**RP942141XX**

Six stage reverse osmosis systems with pump and mineralizing cartridge, made of NSF certified components.

**Package contains:** cartridges FCPS20, FCCBL, FCPS5, AICRO, AMIRO, TFC-75F, diaphragm pump, 4 gallons plastic water tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH16-C double long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.



**RX5411411X**

Seven stage reverse osmosis systems with mineralizing and ionizing cartridges, made of NSF certified components.

**Package contains:** cartridges FCPS20, FCCBL, FCPS5, AICRO, AMIRO, AIFIR2000, TFC-75F, 4 gallons plastic water tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH16-C double long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instructions, color box.



**RX-RO5-NN**

Five stage reverse osmosis systems, made of NSF certified components.

**Package contains:** cartridges WPP20H, WWBH, WPP5H, WWH1, TFC-75F-AQM, 3,2 gallons plastic storage tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH5 long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, tubing.



**RX-RO6-NN**

Six stage reverse osmosis systems with mineralizing cartridge, made of NSF certified components.

**Package contains:** cartridges WPP20H, WWBH, WPP5H, WWH1, WMH1, TFC-75F-AQM, 3,2 gallons plastic storage tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH4 double long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, tubing.



**HX141144XX**

Six stage in-box reverse osmosis systems with mineralizing cartridge, made of NSF certified components.

**Package contains:** cartridges FCPS5, FCCBL, FCPS5, AISTRO, AICRO, AMIRO, TFC-75F, 4 gallons plastic storage tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH16-C double long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.



**SX2423522X**

Seven stage in-box reverse osmosis systems with mineralizing and ionizing cartridges, made of NSF certified components.

**Package contains:** cartridges AIPRO-20M, AICRO-L, AIPRO-1M, AICRO, AIMRO, AIFIR2000, TFC-75F, 4 gallons plastic storage tank, automatic shut-off valve, mini flow restrictor, check valve, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, wrench, four color coded tubing, instruction, color box.

**Whole House Systems**



**EKOPF4-SLIM-RO5**

Five stage reverse osmosis systems, made of NSF certified components.

**Package contains:** cartridges FCPS20-SL, FCCBL-S-SL, FCPS5-SL, TLC75FT, FCCM-SL, TFC-75TF, FXFCH17-C long reach chrome faucet, 3,2 gallons plastic storage tank, FT06 feed water connector 1/2", tubing, instruction, color box.



**EXCITO-5**

Five stage RO filtration systems based on "UDF-SLIM" cartridge type, made of NSF certified components.

**Package contains:** cartridges FCPS20-SL, FCCBL-S-SL, FCPS5-SL, TLC75FT, FCCM-SL, TFC-75F, 3,2 gallons plastic storage tank, FXFCH17-C long reach chrome faucet, FT06 feed water connector 1/2", drain saddle valve, tubing, instruction, color box.



**EXCITO-OSSMO**

Four stage RO filtration systems based on "TWIST" cartridge type, made of NSF certified components.

**Package contains:** cartridges AIPRO-1M-TW, FCCBL-S-TW, TFC-70F-TW, FCCM-TW, TFC-70F-TW, FXFCH17-C long reach chrome faucet, 3,2 gallons plastic storage tank, FT06 feed water connector 1/2", tubing, instruction, color box.



**FHPR34-B1-TWIN**

Two stage anti-scale in-line systems, made of NSF certified components.

**Set includes:** cartridges FCPS5, FCPRA-10, mounting bracket with screws, wrench, instruction.

**Whole House Big Blue® Systems**



**FHPR34-B1-TWIN-B**

Two stage anti-scale in-line systems with economical BY-PASS, made of NSF certified components.

**Set includes:** by-pass, cartridges FCPS5, FCPRA-10, mounting bracket with screws, wrench, instruction.



**FHPR34-B1-TWIN-B2**

Two stage anti-scale in-line systems with BY-PASS valves, made of NSF certified components.

**Set includes:** by-pass, cartridges FCPS5, FCPRA-10, mounting bracket with screws, wrench, instruction.



**HHBB20B**

Whole house Big Blue® filtration systems

**Set includes:** 3 x 20" Big Blue® type filter housing, pressure gauge, metal platform, nickel extension to the pressure gauge, wrench, instruction, antibacterial and antimicrobial filter centralizing rings.



**HHBB10B**

Whole house Big Blue® filtration systems

**Set includes:** 3 x 10" Big Blue® type filter housing, pressure gauge, metal platform, nickel extension to the pressure gauge, wrench, instruction, antibacterial and antimicrobial filter centralizing rings.



**AF-VT-30**

Water softener, with volume/time controller and ion-exchange resin.

**Features:**

- Size – H x W x L: 1100 mm x 270 mm x 470 mm size
- Tank dimensions: 10" x 35"
- Tank volume: 25 dm
- Brine tank capacity (amount of salt): 50 kg
- Maximum hydraulic flow rate: 2 m / h
- Maximum exchange capacity (m x dH): 72
- Maximum water consumption (per regeneration): 0.2 - 0.3 m
- Maximum salt consumption (kg / regeneration): 3,5
- Operating pressure: 1,5 bar - 5 bar (22.5 psi - 75 psi)
- Operating temperature: 5 C - 45 C (41 F - 113 F)
- Connection/power supply: 100-240V AC 50/60Hz (12VDC 1500 mA)
- Water connection: 3/4" MIP (BSP)

Washing Machine Filters



**FHPRA**

Washing machine filters, filled with polyphosphate, anti-scale and anti-lime media with brass insert, designed for cold water, equipped with 3/4" MIP x 3/4" FIP.



**FHPRA2**

Multi-use washing machine filters, filled with polyphosphate, anti-scale and anti-lime media, designed for use with cold water, equipped with 3/4" MIP x 3/4" FIP.



**FHPRA-R**

Water conditioning media (polyphosphate) for FHPRA2 washing machine filters.



**FHPRA3**

Washing machine filters containing 30% more polyphosphate anti-scale and anti-lime media, designed for cold water, equipped with 3/4" MIP x 3/4" FIP.

Shower Filters



**FSH-1\_K**

High quality shower filters, containing **KDF**<sup>®</sup> bacteriostatic media, equipped with 1/2" MIP connection.



**FCSH-1\_K**

Cartridges for FSH-1\_K



**FSH-5-C FSH-6-C**

part nr	diameter
<b>FSH-5-C</b>	<b>10,5 cm</b>
<b>FSH-6-C</b>	<b>15 cm</b>

High performance shower filters.  
**Features:** 1/2" MIP thread, 2C -60 C working temperature, three shower massage functions, chrome plated



**FCSH-56\_K**

Set of two cartridges for FSH-5-C and FSH-6-C shower filters.

Accessories



**FHSB**

Bath ball, most advanced bath filters on the market, containing **KDF**<sup>®</sup> media.



**AIMIAO2\_K**

Mechanical leak prevention sensors for undercounter and reverse osmosis systems.



**AIMIAO-T\_K**

Valves, providing automatic shut off system after a pre-determined quantity of water being filtered.



part nr	in/out	bar/psi
<b>PLV-0104-50</b>	<b>1/4" QC</b>	<b>3,3/50</b>
<b>PLV-0104-80</b>	<b>1/4" QC</b>	<b>5,3/80</b>

Pressure limiting valves, equipped with 1/4" QC tube ports.



**Plastic mounting brackets**

Available brackets are single, double and triple to meet customers demands. Color can be customized. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Metal mounting brackets**

Available metal brackets are single, double and triple to meet customers demands. They fit most 5", 10" and 20" and **Big Blue** housings. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Hangers**

Single and double hangers. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**JACO connectors**

**Aquafilter** among its range of products has a broad list of JACO fittings. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Quick connectors**

**Aquafilter** among its range of products has a broad list of QC connectors. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Check valves, shut-off valves, flow restrictors**

**Aquafilter** among its range of products has a broad list of valves. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Tubing**

Tubings made of 100% virgin grade, FDA compliant linear low density polyethylene (LLDPE). For more information check [www.aquafilter.com](http://www.aquafilter.com)



**AFXPOMP-4**

Diaphragm pumps for RO systems with water softening and iron removal cartridge. **Set includes:** connectors, mounting bracket, valves (high and low pressure) and transformers.



**AFXPOMP**

Diaphragm pumps for RO systems. **Set includes:** connectors, mounting bracket, valves (high and low pressure) and transformers.



**M1207515\_K**

Diaphragm pumps for RO systems. **Set includes:** connectors, mounting bracket, valves (high and low pressure) and transformers.



**Accessories for pumps**

**Aquafilter** among its range of products has a broad list of accessories for pumps. For more information check [www.aquafilter.com](http://www.aquafilter.com)



Electronic meters. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**CE-24**

Electronic controllers for RO systems. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**FXT-AQ FXT-3-AQ**

**Set includes:** colorimetric tests. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Reducing connectors, Filter connectors, Cartridge connectors**

For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Connection adapters**

For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Tanks for RO**

Water storage tanks. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Drainage clamp**

For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Accessories for FHCTF**

Outlets, inlets, faucets, connection adapters for FHCTF two stage kitchen countertop water filter. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Pressure gauges**

For more information check [www.aquafilter.com](http://www.aquafilter.com)



**PDEZYN2**

Single use disinfection set.  
**Set includes:** sediment filter, disinfection solution, tubing and connectors.



**Teflon tape**

For more information check [www.aquafilter.com](http://www.aquafilter.com)



**NI-412-CENT-AB  
NI-212-CENT-AB**

Antibacterial and antimicrobial filter cartridge centralizing ring, based on BACINIX™ Nanosilver Technology.



**O-rings and washers**

**Aquafilter®** among its range of products has a broad list of o-rings. For more information check [www.aquafilter.com](http://www.aquafilter.com)



**Wrench**

**Aquafilter®** among its range of products has a broad list of wrenches. For more information check [www.aquafilter.com](http://www.aquafilter.com)



FXFCH17-C FXFCH16-C

**FXFCH17-C\*  
FXFCH16-C\*\***

Brass chrome plated faucets .

\* single-way  
\*\* two-way



FXFCH14-4-C\_K FXFCH13-4-C\_K

**FXFCH14-4-C\_K  
FXFCH13-4-C\_K**

Four-way kitchen sink faucets for cold, hot and filtered water. Installation kit includes a set of adapter connectors (tubing, washers, gaskets) necessary for proper connection.



FXFCH13-3-M\_K FXFCH15-3-C\_K


**FXFCH13-3-M\_K  
FXFCH15-3-C\_K**

Three-way kitchen sink faucets for cold, hot and filtered water. Installation kit includes a set of adapter connectors (tubing, washers, gaskets) necessary for proper connection.




## Aquafilter® AQRO5-NN-KIT

High quality components made in Europe (EU), ready to assemble.  
All kit comes with complete components set with everything you need to put the system together and save money.



## Aquafilter® AQRO5-NNP-KIT

High quality components made in Europe (EU), ready to assemble. (with booster pump)  
All kit comes with complete components set with everything you need to put the system together and save money.



For more details  
contact our sales department:  
[sales@aquafilter.com](mailto:sales@aquafilter.com)

For more information visit [www.aquafilter.com](http://www.aquafilter.com)

# New arrival 2015




## 2 Port Basic Type Head System



part nr	size	µm
AIPRO-1M-TW	2,5" x 12"	5
AIPRO-1M-TW-CP*	2,5" x 12"	5
AIPRO-20M-TW	2,5" x 12"	20
AIPRO-20M-TW-CP*	2,5" x 12"	20

In-line (TWIST Type) sediment filter cartridges.

\* Cartridges Available for Sale with Cap



part nr	size
FCCBL-S-TW	2,5" x 12"
FCCBL-S-TW-CP*	2,5" x 12"

In-line carbon (TWIST Type) blocks with NSF-approved, activated carbon (50% coconut shell activated carbon, and 50% bitumous activated carbon).

\* Cartridges Available for Sale with Cap



part nr	size
AISTRO-TW	2,5" x 12"
AISTRO-TW-CP*	2,5" x 12"

In-line (TWIST Type) water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap



part nr	size
AISTRO-2-TW	2,5" x 12"
AISTRO-2-TW-CP*	2,5" x 12"

In-line (TWIST Type) iron removing and water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap



part nr	size
FCCM-TW	2,5" x 12"
FCCM-TW-CP*	2,5" x 12"

In-line (TWIST Type) post-filtration cartridge with NSF-approved coconut activated carbon mineralization and KDF media.

\* Cartridges Available for Sale with Cap



part nr	size	µm
TFC -70F-TW	2,5" x 12"	0,0001
TFC -70F-TW-CP*	2,5" x 12"	0,0001

In-line (TWIST Type) reverse osmosis membrane (70 GPD).

\* Cartridges Available for Sale with Cap



part nr	size	µm
TLCHF-TW	2,5" x 12"	0,02
TLCHF-TW-CP*	2,5" x 12"	0,02

In-line (TWIST Type) Ultra filtration membrane.

\* Cartridges Available for Sale with Cap



part nr	size
AICRO-212-TW	2,5" x 12"
AICRO-212-TW-CP*	2,5" x 12"

In-line empty (TWIST Type) filter cartridges - welded.

\* Cartridges Available for Sale with Cap

# New arrival 2015



## 2 Port Swing Head System



part nr	size	µm	type
AIPRO-1M-TW2	2.5" x 12"	5	white
AIPRO-1M-TW2-CP*	2.5" x 12"	5	white
AIPRO-1M-TW2-CL	2.5" x 12"	5	transparent
AIPRO-1M-TW2-CL-CP*	2.5" x 12"	5	transparent
AIPRO-20M-TW2	2.5" x 12"	20	white
AIPRO-20M-TW2-CP*	2.5" x 12"	20	white
AIPRO-20M-TW2-CL	2.5" x 12"	20	transparent
AIPRO-20M-TW2-CL-CP*	2.5" x 12"	20	transparent

In-line (TWIST Type) sediment filter cartridges.

\* Cartridges Available for Sale with Cap

part nr	size	type
FCCBL-S-TW2	2.5" x 12"	white
FCCBL-S-TW2-CP*	2.5" x 12"	white
FCCBL-S-TW2-CL	2.5" x 12"	transparent
FCCBL-S-TW2-CL-CP*	2.5" x 12"	transparent

In-line carbon (TWIST Type) blocks with NSF-approved, activated carbon (50% coconut shell activated carbon, and 50% bituminous activated carbon).

\* Cartridges Available for Sale with Cap

part nr	size	type
AISTRO-TW2	2.5" x 12"	white
AISTRO-TW2-CP*	2.5" x 12"	white
AISTRO-TW2-CL	2.5" x 12"	transparent
AISTRO-TW2-CL-CP*	2.5" x 12"	transparent

In-line (TWIST Type) water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap

part nr	size	type
AISTRO-2-TW2	2.5" x 12"	white
AISTRO-2-TW2-CP*	2.5" x 12"	white
AISTRO-2-TW2-CL	2.5" x 12"	transparent
AISTRO-2-TW2-CL-CP*	2.5" x 12"	transparent

In-line (TWIST Type) iron removing and water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap



part nr	size	type
FCCM-TW2	2.5" x 12"	white
FCCM-TW2-CP*	2.5" x 12"	white
FCCM-TW2-CL	2.5" x 12"	transparent
FCCM-TW2-CL-CP*	2.5" x 12"	transparent

In-line (TWIST Type) post-filtration cartridge with NSF-approved coconut activated carbon and mineralization and KDF® media.

\* Cartridges Available for Sale with Cap



part nr	size	µm	type
TFC -70F-TW2	2.5" x 12"	0.0001	white
TFC -70F-TW2-CP*	2.5" x 12"	0.0001	white
TFC -70F-TW2-CL	2.5" x 12"	0.0001	transparent
TFC -70F-TW2-CL-CP*	2.5" x 12"	0.0001	transparent

In-line carbon (TWIST Type) reverse osmosis membrane (70 GPD).

\* Cartridges Available for Sale with Cap



part nr	size	µm	type
TLCHF-TW2	2.5" x 12"	0.02	white
TLCHF-TW2-CP*	2.5" x 12"	0.02	white
TLCHF-TW2-CL	2.5" x 12"	0.02	transparent
TLCHF-TW2-CL-CP*	2.5" x 12"	0.02	transparent

In-line (TWIST Type) Ultra filtration membrane.

\* Cartridges Available for Sale with Cap



part nr	size	type
AICRO-212-TW2	2.5" x 12"	white
AICRO-212-TW2-CP*	2.5" x 12"	white
AICRO-212-TW2	2.5" x 12"	transparent
AICRO-212-TW2-CP*	2.5" x 12"	transparent

In-line empty (TWIST Type) filter cartridges - welded.

\* Cartridges Available for Sale with Cap

# New arrival 2015



## 3 Port Head System



part nr	size	µm
AIPRO-1M-TW3	2,5" x 12"	5
AIPRO-20M-TW3	2,5" x 12"	20
AIPRO-1M-TW3-CP*	2,5" x 12"	5
AIPRO-20M-TW3-CP*	2,5" x 12"	20

In-line (TWIST Type) sediment filter cartridges.

\* Cartridges Available for Sale with Cap



part nr	size
FCCBL-S-TW3	2,5" x 12"
FCCBL-S-TW3-CP*	2,5" x 12"

In-line carbon (TWIST Type) blocks with NSF-approved, activated carbon (50% coconut shell activated carbon, and 50% bituminous activated carbon).

\* Cartridges Available for Sale with Cap



part nr	size
AISTRO-TW3	2,5" x 12"
AISTRO-TW3-CP*	2,5" x 12"

In-line (TWIST Type) water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap



part nr	size
AICRO-2-TW3	2,5" x 12"
AICRO-2-TW3-CP*	2,5" x 12"

In-line (TWIST Type) iron removing and water softening filter cartridges with FDA-approved ion exchange resin.

\* Cartridges Available for Sale with Cap



part nr	size
FCCM-TW3	2,5" x 12"
FCCM-TW3-CP*	2,5" x 12"

In-line (TWIST Type) post-filtration cartridge with NSF-approved coconut activated carbon and mineralization and KDF® media.

\* Cartridges Available for Sale with Cap



part nr	size	µm
TFC -70F-TW3	2,5" x 12"	0,0001
TFC -70F-TW3-CP*	2,5" x 12"	0,0001

In-line carbon (TWIST Type) reverse osmosis membrane (70 GPD).

\* Cartridges Available for Sale with Cap



part nr	size	µm
TLCHF-TW3	2,5" x 12"	0,02
TLCHF-TW3-CP*	2,5" x 12"	0,02

In-line (TWIST Type) Ultra filtration membrane.

\* Cartridges Available for Sale with Cap



part nr	size
AICRO-212-TW3	2,5" x 12"
AICRO-212-TW3-CP*	2,5" x 12"

In-line empty (TWIST Type) filter cartridges - welded.

\* Cartridges Available for Sale with Cap

# New arrival 2015

**2 x 1/4" QM**  
Quick Connector Male



**2 x 3/8" QM**  
Quick Connector Male



part nr	size	in/out	µm
AIPRO-1M-QM-214	2,5" x 12"	2 x 1/4" QM	5
AIPRO-1M-QM-238	2,5" x 12"	2 x 3/8" QM	5
AIPRO-20M-QM-214	2,5" x 12"	2 x 1/4" QM	20
AIPRO-20M-QM-238	2,5" x 12"	2 x 3/8" QM	20

In-line sediment filter cartridges - Quick Connector Male.

part nr	size	in/out
AICRO-3-QM-214	2,5" x 12"	2 x 1/4" QM
AICRO-3-QM-238	2,5" x 12"	2 x 3/8" QM

In-line filter cartridges with NSF-approved, coconut shell, activated carbon - Quick Connector Male.

part nr	size	in/out
AICRO-4-QM-214	2,5" x 12"	2 x 1/4" QM
AICRO-4-QM-238	2,5" x 12"	2 x 3/8" QM

In-line filter cartridges with NSF-approved, activated, coconut shell carbon and KDF<sup>®</sup> media - Quick Connector Male.

part nr	size	in/out
AISTRO-2-QM-214	2,5" x 12"	2 x 1/4" QM
AISTRO-2-QM-238	2,5" x 12"	2 x 3/8" QM

In-line iron removing and water softening filter cartridges with FDA-approved ion exchange resin - Quick Connector Male.



part nr	size	in/out	µm
AIPRO-1M-QM-214	2,5" x 12"	2 x 1/4" QM	0,02
AIPRO-1M-QM-238	2,5" x 12"	2 x 3/8" QM	0,02

In-line Ultra filtration membrane - Quick Connector Male.

## Professional water test kit

**AQUAFILTER FXT-TEST-PROF** Water Test Kit is engineered to be reliable, accurate and cost effective. Testers are designed in a way allowing non-professionals, without training to conduct basic tests. These tests are based on the principle of visual color comparison, especially developed for simple field operation. They are simple and very effective.

**Water Test Kit is conveniently packed in a handy case.**

**Features:**

- cost effective
- reliable
- accurate
- easy to handle
- can be used for both: home and field tests

**Set includes tests for:**

hardnes test  
 chlorine  
 pH  
 iron  
 manganese  
 heavy metal  
 and the all necessary accessories needed for testing



**FXT-TEST-PROF**

## UV lamp



**AQUAFILTER FUV-P4CL** lamp is an effective way to deal with various microorganisms which can be found in water. Radiation emitted by this lamp effectively kills microorganisms.

The best performance (germicidal effects) is obtained at approx. 254 nm wavelength and with the intensity ranging from 3000 to 20000 mW\*sec/cm<sup>2</sup>. The primary mechanism by which UV inactivates microorganisms is the creation of pyrimidine dimmers on the same DNA or RNA strand, so the microorganisms are unable to reproduce. Another mechanism is a disruption of cell wall and therefore destruction of an entire microorganism.

The degree of microorganism destruction or inactivation depends on various factors: time of exposure to the UV light, intensity, type of microorganism and water turbidity, construction of the lamp.

Due to the unique design (water flows through a spiral tube) **FUV-P4CL** UV lamps allow better performance and efficiency, they don't change natural physicochemical features of water, and provide zero rejection factor - almost 100% of inlet water undergoes purification process and is suitable for consumption.



**Features:**

- Over 99.9% effectiveness in water disinfection
- Approximately 12 months of UV lamp filament vitality
- Filtration without altering the physico-chemical water composition
- Longevity of UV light bulb is to 9000 working hours (approx. 1 year)
- No change to chemical and physical composition of water.

**FUV-P4CL**

## New Line of Sediment Filter Cartridges



Available only in special offer

## Core

**FCPP-CORE-10-THR**

**FCPP-CORE-NUT**



**FCPP-CORE-10-THR** screwed together cores make it possible to produce string wound cartridges of different

[www.aquafilter.com](http://www.aquafilter.com)



## **The Clear Choice**

### **Water Filtration Systems**



**Distributor**

The producer does not hold any responsibility for printing errors. We reserve the right to introduce change or amendments of the provided technical informations at any time and without the necessity of a prior announcement.



ISO 9001:2008



**Aquafilter Europe Ltd.**  
Sw. Teresy 101, 91-222 Lodz, Poland  
Phone: +48 42 6131910, +48 42 6131911  
Fax: +48 42 6559970,  
sales@aquafilter.com



**Aquafilter Germany GmbH**  
15234 Frankfurt, Germany  
de@aquafilter.com



**Aquafilter Inc.**  
Hunt Valley 21030, USA  
us@aquafilter.com



All Aquafilter images, trademarks, logos, and other intellectual property are the sole and exclusive property of Aquafilter, Inc. and may not be used without our express written permission.

**XKAT-SV-2014**

**For more information visit [www.aquafilter.com](http://www.aquafilter.com)**